

9. SPILL, LEAK AND DISPOSAL PRACTICES

Personal protection and controls identified in Section 7 should be used as appropriate. Spilled material, where dust can be generated, may overexpose cleanup personnel to respirable crystalline silica- containing dust. Wetting of spilled material and/or use of respiratory protective equipment may be necessary. Do not dry-sweep spilled material. Prevent spilled materials from inadvertently entering streams, drains, or sewers. Pick up and reuse clean materials. Dispose of waste materials only in accordance with applicable Federal, state, and local laws and regulations.

10. TRANSPORTATION

DOT Hazard Classification: None

Placard Required: None

Label Required. Label as required by the OSHA Hazard Communication Standard [29 CFR 1910.1200 (f)] and applicable state and local laws and regulations.

Fortress Proppants Ltd. believes the information contained herein is accurate; however Fortress Proppants Ltd. makes no guarantees with respect to such accuracy and assumes no liability in connection with the use of the information contained herein by any party. The provision of the information contained herein is not intended to be and should not be construed as legal advice or as ensuring compliance with any Federal, State or local laws and regulations. Any party using this product should review all such laws, rules or regulations prior to use.

NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.